



## Outdoor 6.5x5.5m Green Crocodile Inflatable Obstacle Course Inflatable Sports Games

Our Product Introduction

### Basic Information

- Place of Origin: GuangZhou, China
- Brand Name: King Inflatable
- Certification: CE, UL, SGS, EN71, EN14960
- Model Number: king-sg380
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: PVC bag for obstacle, carton for blower
- Delivery Time: 7~10 working days
- Payment Terms: T/T, L/C, Western Union, Money Gram, Euro account, US dollar account
- Supply Ability: 200 pcs per a month



### Product Specification

- Material: Durable Plato 0.4 -0.55mm PVC Tarpaulin
- Size: 6.5\*5.5m Or Customized
- Workmanship: Double-line Sewed & 4-line Sewed
- Color: Blue, Yellow, Green
- Warranty: 1-2 Year Warranty
- Printing: Support Customized Printing
- Type: Inflatable Obstacle Course
- Highlight: **Crocodile Inflatable Obstacle Course, Crocodile Inflatable Sports Games, 6.5x5.5m Inflatable Obstacle Course**



### More Images



for more products please visit us on [inflatablewaterfun.com](http://inflatablewaterfun.com)

## Product Description

### Outdoor 6.5x5.5m Green Crocodile Inflatable Obstacle Course Inflatable Sports Games

#### Describe :

The multiplayer crocodile inflatable obstacle course are very popular with a younger crowd, mainly children from 4 to 10 years. With it's obstacles, punching bags, small climbing wall and slide. Can for Outdoor events,party/club activities,business tradeshow and so on... Various styles and flexible size for your choose,and your LOGO and business banners can be printed.

#### Installation

1. Place the equipment on the flat ground, it is best to put a pad of cloth (such as felt, plastic ribbon cloth) under the equipment, and then expand it.
2. Find the air inlet of the equipment, then connect with the fan outlet, and fasten the fan port, and then fasten the spare air inlet with rope.
3. Turn on the blower and the equipment will be bulding in 5 / 10 minutes.

#### Specification

Name	Outdoor 6.5x5.5m Green Crocodile Inflatable Obstacle Course Inflatable Sports Games
Material	Plato0.4~ 0.55mm PVC tarpaulin water proof and fire retardant
Size	6.5*5.5 m or customized
Capacity	Depend on the kids age
Accessories	CE/UL blower and packing bag,repair kit
Blower voltage	220-240V or 110-130V
Printing and logo	available
Workmanship	double and quadruple stitching reinforce every important position
Warranty	2 year warranty
Payment	T/T,L/C,Western Union ,Money Gram,Euro account, US dollar account
Certificate	CE,EN71,EN14960 ,UL,SGS

### Details of Outdoor 6.5x5.5m Green Crocodile Inflatable Obstacle Course Inflatable Sports Games

Reinforcement Belt: Double to fourfold stitches to make sure product firm and extend using life.

2. Wind ring: The metal ring sited at the bottom of inflatable products to fix the product and stop the swing.
3. Air Outlet: Linked with high-quality zipper cover, it is well sealed after inflated; conveniently and quickly when need to deflate.
4. Blower pipe: long PVC blower pipe to make sure that blow smoothly.
5. Safety netting: It is made up of nylon rope in a certain way, and strong to protect

#### Matters need attention

- 1 don't carry pointed thing (keys,kife etc ) to play
- 2 please dragged your shoes on the games
- 3 It will better to put a cover under the games
- 4 Before storage, please let it dry.and pack up

#### How do you get it ?

- 1 You contact us ,and tell your requirement to us
- 2 We will discuss all detail with you .next make a detail invoice to you
- 3 If okay,you pay the 50% deposit by T/T or Western Union or Paypal before production
- 4 When finish,will take some details photos for you confirm . If okay,you pay a 50% balance before shipment. if not satisfied,we will rework to meet your requirement
- 5 When received the balance ,we will ship it to you

#### More Product pictures:





**King Inflatable Co.,Limited**



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com

Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou,China