

12feet Height PVC Tarpaulin Inflatable Water Park Outdoor Jumping Tower Slide

Basic Information

Place of Origin: GuangZhou,China Brand Name: King Inflatable

• Certification: CE ,UL,SGS,EN71,EN14960

Model Number: IF-WP(67)
Minimum Order Quantity: 5 PCS
Price: Negotiable
Packaging Details: PVC bags+carton

• Delivery Time: In 10 days

Payment Terms: T/T,L/C,Western Union ,Money Gram,Euro

account, US dollar account

• Supply Ability: 500pcs/month



Product Specification

Material: 0.9mm PVC Tarpaulin

• Workmanship: Heat Sealed

• Size: 12feet (3.7m) Hight Or Customize

• Highlight: giant inflatable pool floats, blow up water toys



Product Description

12feet Height PVC Tarpaulin Inflatable Water Park Outdoor Jumping Tower Slide

Specifications:

Model number:	IF-WP (67)
workmanship:	Heat sealed
Type:	Inflatable Water Park Outdoor Jumping Tower Slide
Material:	0.6/0.9mm PVC tarpaulin, unti-riptured
Color	customize
Pump voltage	110 or 220V is available

Application:

- 1. Water proof and fire resistant, can be used in the rainy and sunny days.
- 2, People climbing up the top of the slide, and sliding down into water, or jumping into the water one the topside of the tower.
- 3, hooks at the bottom to tie a weigh for anchoring
- 4, Any sizes, shapes/designs, colors according to customer requirements
- 5, 12feet Height PVC Tarpaulin Inflatable Water Park Outdoor Jumping Tower Slide can be widely used as summer water park, water game parks, sun cold paradise amusement water park, for outdoor use.

Advantages:

- 1, Strong and nice welds
- 2, Sealed type, do not need continuous air blow.
- 3, Various colors are available
- 4, We can print logos, banners or artworks on it
- 5, Durable, 4-6years usage life span
- 6, Easy to assemble, to move and to pack,
- 7, once broken, it's easy to repair and work again.
- 8, the best material is very important for water games. All inflatable water games of Topfun are made by high durability fire-retardant PVC Tarpaulin, which has 3 layers, two coated side with a strong net inside. The flame retardant meet BS7837. Our material has improved by the SGS.

Order procedures:

- 1, Contact us by send a inquiry, discuss all the instructions and details of each item of the order on email, skype or whatsapp etc., reach an agreement include item size, material, color, shape, how to print the logos or artworks, delivery time, shipping methods, payment terms, warranty clauses etc.
- 2, we make the proforma Invoice/contract, put the drawing/design in it with all the negoicated instructions and details in it for customer confirmation.
- 3, customer send us the first payment deposit to get the order started. We start to get the right materials and accessoires, ready for the production
- 4, our designers will make a professional 3d picture with notes for customer check again, and meanwhile, make the computer designs for cutting, sew, hot air welding dept with measurements and explainations in Chinese for workers cutting piece by piece.
- 5, sewing / welding dept get the pieces, with the computer designs created by the our designers, join the pieces together by sewing or welding. 6, testing, each products will be tested for before shipment, and take the pictures for customer to check whether all the workout is meet all the requirements that negociated. If all correct, customer pay the remaining balance, we ship out the order; if not, then point them out, we will make
- 7, professional packing workers, they weigh and measure the item, and give us the datas, we record and save it for transportation reference. Packing list, Commercial Invoice and Bill of Lading, to send all the documents and certifications that required for customer to do the custom clearance.

Pictures:

12feet Height PVC Tarpaulin Inflatable Water Park Outdoor Jumping Tower Slide

the modification, then send pictures to customer to check again.







King Inflatable Co.,Limited



+86 18620259154



kinkor@king-inflatable.com inflatablewaterfun.com



Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou, China