# King Inflatable Co., Limited inflatable waterfun.com

# Outdoor Giant Inflatable Water Park 30m Diameter Constant Blower With Crocodile Slide

## **Basic Information**

Place of Origin: GuangZhou,ChinaBrand Name: King Inflatable

• Certification: CE ,UL,SGS,EN71,EN14960

Model Number: King-wp016

• Minimum Order Quantity: 1 pc

• Price: USD 10000-20000 pc

• Packaging Details: Plastic PVC bag : 3 PVC bag - 180x140x140


; 140x110x110 ; 80x60x60cm

• Delivery Time: 15-20 working days

Payment Terms: T/T,L/C,Western Union ,Money Gram,Euro

account, US dollar account

• Supply Ability: 500pcs /Month



# **Product Specification**

Type: Inflatable Water Park
 Material: Plato PVC Tarpaulin
 Size: 30m Diameter

Color: Grey , Green And Blue
 Feather: A Water Pool With A Slide
 System: Airtight And Constant Blower

Accessories: Air Pump And Blower

Usage: Outdoor Water Games On Land
 Highlight: inflatable water park for kids,



# More Images





inflatable backyard water park

## **Product Description**

#### Outdoor Giant Inflatable Water Park PVC Tarpaulin With Crocodile Slide

This water park would be placed on land, not in water, it is just like a big water pool. You also can buy some water toys placed into the pool, to let people playing with fun, kids and adults can play in the pool. It can hold about 100-200 people.

#### Specifications:

| Product Type | Inflatable Water Park   |  |
|--------------|---|--|
| Material     | 0.9mm PVC Tarpaulin for pool and 0.55mm PVC Tarpaulin for slide         |  |
| Size         | 30m diameter (25m diameter for pool and 9x8x6m for slide) or customized |  |
| Color        | Grey , green and blue or customized                                     |  |
| MOQ          | 1 pcs   |  |
| Warranty     | 2 years   |  |
| Accessories  | Including 3 air pumps , 2 air blowers and repair kits                   |  |
| Certificates | CE EN71 EN14960 SGS ROHS  |  |

| Single product name     | Quantities | Size         |
|-------------------------|------------|--------------|
| a pool with some covers | 1          | 25m diameter |
| Crocodile slide         | 1          | 9x8x6m       |
| Bouncers with trees     | 6          | 2x1.5m       |

#### Details:

1. 0.55mm PVC Tarpaulin and 0.9mm PVC Tarpaulin:

PVC Tarpaulin itself contains 3 layers, double sides coated with a strong net inside, it is so strong that you can't tear it off. Its thickness has 0.4mm, 0.45mm, 0.55mm. 0.6mm and 0.9mm. For this set water park on land, the pool with arches is airtight system, so we would use 0.9mm in thickness to make it, those bouncers above the pool are also airtight system, they are made of 0.9mm PVC Tarpaulin as well; the crocodile slide is constant blowing system, so we would use 0.55mm PVC Tarpaulin to make it.

Don't worry, all our materials are best material from Plato factory, a very popular supplier in China.

- 2. Giant Inflatable Water Park: It contains 8 pieces in total, It will be equipped with 2 air blowers and 3 air pumps. 2 air blowers for crocodile and 3 air pumps for pool with arches and the bouncers.
- 3. System: For this Giant Inflatable Water Park, the pool with arches and the bouncer is airtight system, it means that it only needs to be inflated one time with air pump connecting electricity; the crocodile slide is constant blowing system, it means that it needs to be inflated with blowers connecting electricity.
- 4. Warranty: This Giant Inflatable Water Park will be guaranteed for 2 years, in this warranty period, If there are any quality problems, we would take full responsibility for getting it re-worked, if failed, we promise to make a new one for you.

#### Why choice us:

Inflate and deflate. Easy to set up and take down within 2-3minutes.

Sewing. Double-stitched reinforced seams and jump surface Commercial grade sewing style.

Opening. Professional opening for safe and easy to go or out.

Air tube. Long fill tube for placing blower away from Inflatable Tent.

Anchor or D-ring. Anchor or D-rings to keep stability and safety.

After-service. 100% responsible for faults of quality under correct use.

Netting and mesh. High quality netting or mesh with small holes for safety.

We test each product for 3 days to ensure the inflatable product seamed exactly well. We provide repair kit for free, which including material and mucilage for repairing in case.

#### Advantages:

- 1. All our materials are purchased from Plato factory , a best and very popular material supplier . We can send you some materials for your testing .
- 2. For the airtight pool ,we would Intall reducing pressure valve . When your temperature is very high to some extent , this reducing presure valve will make the product deflated automatically , in case of the product would blast because of the high temperature .
- 3. Welded strongly with high temperature machine and some exprienced workers . Besides , reinforced a extra strip on all seams , stronger and more durable .

#### Pictures :









# King Inflatable Co.,Limited



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com

Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou, China